


WE CLAIM:


1. A compound having Formula I



Formula I


where R is selected from the group consisting of hydrogen and lower aliphatic.

2. The compound according to claim 1 where R is lower alkyl.
3. The compound according to claim 1 where R is methyl.
4. The compound according to claim 1 where the compound is




5. A method for treating a subject, comprising:
providing a compound having Formula II

5



Formula II


where R_1 is selected from the group consisting of hydrogen and lower aliphatic, and R_2 is selected from the group consisting of $-\text{CH}_2\text{COCH}_3$ and



; and

5 administering an effective amount of the compound to the subject.


6. The method according to claim 5 where R_2 is




10

7. The method according to claim 5 where the compound is

43



8. The method according to claim 5 where the compound is



9. The method according to claim 5 where the subject is a mammal.


10. The method according to claim 5 where the subject is a human.

5 11. The method according to claim 5 where the effective amount is from about 0.1 mg/kg body weight per day, to about 200 mg/kg body weight per day, in single or divided doses.

10 12. The method according to claim 5 where administering comprises administering the compound topically, orally, intramuscularly, intranasally, subcutaneously, intraperitoneally, intravenously, or combinations thereof.

15 13. The method according to claim 5 where the compound is administered as a pharmaceutical composition.

14. A pharmaceutical composition comprising an effective amount of a compound having Formula 1



where R is selected from the group consisting of hydrogen and lower aliphatic.

15. The composition according to claim 14 where R is lower alkyl.

16. The composition according to claim 14 where the compound is

